		se 2002/10/31 ENGI	NEERING ST	UDY [ı l			
LOCKHEED AIRCRAFT CORPORATION		CHAI	CHANGE PROPOSAL			<u> </u>		
DATE	29 MARCH 1 9 63	AFFE	CTS:	WSPO	X	PR	OJECT	x
NAM	E OF MAJOR COMPONENT	PART OR LO	WEST SUBAS	SEMBLY		PART NO. 8	MODEL	OR TYPE
TITLE	OF PROPOSAL:				<u>-</u>			
NATU	JRE OF PROPOSAL:	OVERHEAT PR	OFFICITON 1	FOR HEATI	R-BLC	WER		
		E PAGE 2						
								4
						2.		•
		•				,		•
						•		•
	overheat in cases who motor windings are si	ture. Prese ere the blow horted to gi	ent circui wer fails round. In	, burain try prov due to a cases w	ides bloc here	heater h protection ked rotor	ousing n from or the	
-	overheat in cases who	ture. Prese ere the blow horted to grandings, pres	ent circui wer fails round. In	, burain try prov due to a cases w	g the ides bloc here	heater h protection ked rotor	ousing n from or the	
Ē	overheat in cases who motor windings are sidue to open motor windings	ture. Prese ere the blow horted to grandings, pres	ent circui wer fails round. In	, burain try prov due to a cases w	g the ides bloc here	heater h protection ked rotor	ousing n from or the	
	overheat in cases who motor windings are sidue to open motor windings	ture. Prese ere the blow horted to gradings, pres	ent circui wer fails round. In	, burain try prov due to a cases w	g the ides bloc here	heater h protection ked rotor	ousing n from or the	
ES.	overheat in cases who motor windings are sidue to open motor wintion against overhear	ture. Prese ere the blow horted to gradings, pres t.	ent circui wer fails round. In	, burain try prov due to a cases w	g the ides bloc here	heater h protection ked rotor	ousing n from or the	
ES	overheat in cases who motor windings are sidue to open motor wintion against overhead	ture. Prese ere the blow horted to gradings, prese t.	ent circui wer fails round. In sent circu	, burmin try prov due to a cases w itry doe	g the ides bloc here	heater h protection ked rotor	ousing n from or the	
ES	end supporting structure overheat in cases who motor windings are single due to open motor wintion against overhead tion against overhead additional funding requestimated cost for kits of the cost f	ere the blow horted to gradings, prest. INVOLVED: IRED:	ent circui wer fails round. In sent circu	, burain try prov due to a cases w itry doe	g the ides block here s not	heater h protection ked rotor the blower provide	ousing n from or the	
S	end supporting structure overheat in cases who motor windings are single due to open motor wintion against overhead tion against overhead estimated COST AND TIME ADDITIONAL FUNDING REQUIREMENTS.	ere the blow horted to gradings, prest. INVOLVED: IRED:	ent circui wer fails round. In sent circu	, burain try prov due to a cases w itry doe	g the ides block here s not	heater h protection ked rotor the blower provide	ousing n from or the	
ES P EMS	end supporting structure overheat in cases who motor windings are single due to open motor winding against overheat tion against overheat additional funding requestimated cost for kits of additional funding requestimated by proposal: Affected by proposal:	ture. Prese ere the blow horted to grandings, present. INVOLVED: IRED: IRED:	Sector of Weight or Sector of SP-1923)	e Page 3	g the ides block block here s not	heater h protectio ked rotor the blowe provide	ousing n from of the r fails protec-	MAINTE
ES P EMS	end supporting structure overheat in cases who motor windings are single due to open motor wintion against overheat tion against overheat additional funding requestimated cost for kits of additional funding requestimated by proposal:	ture. Prese ere the blow horted to grandings, present. INVOLVED: IRED: IRED:	sent circui wer fails round. In sent circu Sent circu	e Page 3	g the ides blockhere s not	heater h protection ked rotor the blowe provide	ousing n from or the r fails protec-	
ES P EMS SAFETY	end supporting structure overheat in cases who motor windings are single due to open motor winding and supporting structure. ESTIMATED COST AND TIME ADDITIONAL FUNDING REQUESTIMATED COST FOR KITS CADDITIONAL FUNDING REQUESTIMATED BY PROPOSAL: MISSION PERFORM OPERATIVENESS OPERATI	ture. Prese ere the blow horted to grandings, present. INVOLVED: IRED: OR PARTS: IRED: Yes (TING CHANGE ABILITY	Sector or Weight or Weight or Balance	e Page 3	g the ides bloc here s not	heater h protection ked rotor the blowe provide	ousing n from of the r fails protec-	MAINTE
ES P EMS SAFETY	estimated cost and time additional funding requestional funding requestional funding requestional funding requestimated cost for kits of additional funding requestimated by proposal: Applicational funding requestional	ture. Prese ere the blow horted to grandings, present. INVOLVED: IRED: OR PARTS: IRED: Yes (TING CHANGE ABILITY	Sector or Weight or Weight or Balance	e Page 3	g the ides block here s not	heater h protectio ked rotor the blowe provide SERVICE LIFE	ousing n from of the r fails protec-	MAINTE NANCE MANUAL
ES P EMS SAFETY	end supporting structure overheat in cases who motor windings are single due to open motor winding and supporting structure. ESTIMATED COST AND TIME ADDITIONAL FUNDING REQUESTIMATED COST FOR KITS CADDITIONAL FUNDING REQUESTIMATED BY PROPOSAL: MISSION PERFORM OPERATIVENESS OPERATI	ture. Prese ere the blow horted to grandings, present. INVOLVED: IRED: OR PARTS: IRED: Yes (TING CHANGE ABILITY	Sector of SP-1923) WEIGHT OR WEIGHT A BALANCE IN FIELD	e Page 3 Both Cust	g the ides bloc here s not	heater h protectio ked rotor the blowe provide SERVICE LIFE	ousing n from of the r fails protec-	MAINTE NANCE MANUAL
ES P EMS SAFETY	estimated cost and time additional funding requestional funding requestional funding requestional funding requestimated cost for kits of additional funding requestimated by proposal: Applicational funding requestional	ture. Prese ere the blow horted to grandings, present. INVOLVED: IRED: OR PARTS: IRED: Yes (TING CHANGE ABILITY	Sector or Weight A BALANCE IN FIELD AVAILA	e Page 3 Both Cust	g the ides bloc here s not comers	heater h protection ked rotor the blower provide SERVICE LIFE Hrs. WS	ousing n from of the r fails protec-	MAINTE NANCE MANUAL
EMS SAFETY GT. N	estimated cost and time- additional funding requestimated cost for kits of additional funding requestimated by proposal: Mission Perform Operational funding requestimated by proposal: Man/Hrs. Reg'd. To Accomplications and support of the suppor	ture. Prese ere the blow horted to grandings, present. INVOLVED: IRED: OR PARTS: IRED: Yes (TING CHANGE ABILITY	Sector or Weight A BALANCE IN FIELD AVAILA	e Page 3 Both Cust TOOLS & SUPPORT OUT OF THE SUPPORT OUT OF THE SUPPORT OUT OF THE SUPPORT OUT OUT OUT OUT OUT OUT OUT OUT OUT OU	g the ides bloc here s not comers	heater h protection ked rotor the blower provide SERVICE LIFE Hrs. WS	ousing n from of the r fails protec-	MAINTE NANCE MANUAL Hrs. OVAL
ES P EMS SAFETY OURC	estimated cost and time. Additional funding requestimated cost for kits of additional funding requestimated by proposal: Applitional funding requestimated by proposal funding fundi	ere the blow horted to gradings, prest. INVOLVED: IRED: DR PARTS: IRED: Yes (INTER-CHANGE-ABILITY PLISH CHANGE	Sector or WEIGHT OR WEIGHT A BALANCE IN FIELD AVAILA	e Page 3 Both Cust TOOLS & SUPPORT OULPMENT PROJect BILITY BEE PAGE	g the ides blockhere s not tomers ANALE ROCEDURE COCEDURE ANALE ROCEDURE ANALE RO	heater h protection ked rotor the blower provide SERVICE LIFE Hrs. WS WEEKS AFT	ousing n from of the r fails protec-	MAINTE NANCE MANUAL
ES P EMS SAFETY MOURCE	estimated cost and time additional funding requestional funding requestional funding requestional funding requestimated cost for kits of additional funding requestimated by proposal: Applicational funding requestional funding requestion funding requestional funding requestion funding requestion funding requestion funding requestion funding requestion funding requ	ere the blow horted to gradings, present. INVOLVED: IRED: DR PARTS: IRED: Yes (INTER-CHANGE-ABILITY PLISH CHANGE ABILITY ABILITY ABILITY ABILITY	Second of Factor of Approximate Second of Seco	project BILITY BEE PAGE	g the ides block b	heater h protection ked rotor the blower provide SERVICE LIFE Hrs. WS WEEKS AFT	ousing n from of the r fails protec-	MAINTE NANCE MANUAL Hrs. OVAL

2 3 apr PAGES 1 OF 3

0

Nature of Proposal:

- Return all R256-3 heater blowers to the factory for modification. The modification will consist of the addition of two (2) terminals and a thermostat. All units to be re-identified.
- 2. All "B" & "B VI" configuration hatches will be revised by adding a relay and minor wiring changes to lock out the heater if high temperatures occur.
- 3. On project aircraft only the cockpit defroster wiring will be revised to turn off the heater if a high temperature occurs.
- 4. Prepare and issue a Service Bulletin and fabricate the necessary kits:

The modified heater blowers can be used in unmodified hatches and aircraft. Unmodified blowers can not be used in modified aircraft and hatches. Therefore, blowers must be part of the kits.